



PUMA[®]
SAFETY



WORKBOOK.

MEN'S SAFETY SHOES.

puma-safety.com





ELECTRICAL HAZARD

Shoes with this icon are specially designed for protecting from open electrical circuits up to 18.000 volts under dry conditions. They meet or exceed ASTM F2413-18 and ASTM F2412-18a*.



STATIC DISSIPATIVE

These shoes reduce the accumulation of static electricity by conducting the body charge to the properly grounded flooring system. They meet SD Static Dissipative ASTM F2413-18 and ASTM F2412-18a requirements.



SLIP RESISTANT

The outsole is slip resistant, which means that the wearer will not skid when he walks.



HRO SOLE

At least for a short contact these outsoles are heat resistant up to 572°F. That 's pretty hot.



BREATHABLE

Breathable materials protect against overheating by balancing the foot temperature during work. Your feet will feel fresh and less tired.



WATERPROOF

It will keep your feet dry but without this rubber boot feeling due to the clever moisture management that lets water out but not in.



WATER RESISTANT

These styles are constructed for keeping the foot dry from outside while it is breathactive from inside. So they are well dry during the work.



METAL FREE

Sometimes you need a shoe without any metallic parts, thus allowing you to pass through metal detectors.



COMFORTABLE FIT

Extra comfort due to more freedom of toes.



BIG SIZES

For all working big feet: these models are available up to size 14.



MULTIPLE WIDTHS

For shoes that have multiple width options.



LIGHTWEIGHT

Special materials and their processing make the shoe particularly lightweight. The result is an even higher wearing comfort.



IQ.CELL

The gel pad built into the heel area was developed to provide essential shock absorption plus energy return.

SAFETY TOE MODELS: ASTM F2413-18 and ASTM F2412-18a

All PUMA SAFETY safety shoes meet or exceed the highest ASTM standards for toe impact I/75 and compression C/75 protection.

SOFT TOE MODELS: ASTM F2892-18, ASTM F3455-21, ASTM 2413-24, ASTM F2892-24

ASTM F2913-19 and F3445-21

All PUMA SAFETY shoes meet ASTM F2913-19 non-slip testing standards and ASTM F3445-21.

PUMA SAFETY & THE ENVIRONMENT

All PUMA SAFETY products are developed and manufactured by ISM, a company based in Germany since 1930. ISM, now part of the PIP® global family, is a leading European provider in the safety and protective gear business.

As a PUMA SE license partner since 2002, ISM's production sites are regularly audited under the principles of PUMA S.A.F.E. to ensure that fair working conditions are kept in all factories.

ISM acknowledges its responsibility not only towards its customers and business partners but also towards the environment.

Therefore ISM follows the principle of sustainable development. We are proud to say that all our products are PVC free. ISM is aware that continuous improvements are required to live up to our environmental accountability and is working hard to reduce its CO² footprint.


PUMA S.A.F.E.

Under the banner of PUMA S.A.F.E. (Social Accountability and Fundamental Environmental Standards), PUMA is encompassing issues of human rights, product safety and ecological concerns and combining them with new initiatives that will drive the company to cleaner, greener, safer and more sustainable systems and practices. In addition, transparent and constructive dialogues with stakeholders, supply partners, and non-governmental organizations (NGOs) such as the Fair Labor Association have ensured that the PUMA Code of Ethics and Code of Conduct are observed and audited in workplaces worldwide.



CONTENTS

COLLECTION OVERVIEW	Page 4
HERITAGE	Page 6
URBAN EFFECT	Page 12
URBAN PROTECT	Page 14
METRO PROTECT	Page 16
NEW SR COLLECTION	Page 18
COMING SOON MOTION PWR	Page 20
MOTION PROTECT	Page 24
NEW REBOUND	Page 26
SCUFF CAPS EVO	Page 28
SCUFF CAPS EVO SOFT TOE	Page 32
HEAVY DUTY	Page 34
START OF WOMEN'S COLLECTION	Page 37



MEN



630055
**FRONTCOURT BLK/ WHT/
RED MID**
ASTM EH SR
page 7



640205
**FRONTCOURT BLK/ WHT/
RED LOW**
ASTM EH SR
page 7



630075
**FRONTCOURT BLUE/BLK
MID**
ASTM SD SR
page 7



640275
**FRONTCOURT BLUE/BLK
LOW**
ASTM SD SR
page 7



643845
VELOCITY 2.0 BLACK LOW
ASTM SD SR
page 25



633805
VELOCITY 2.0 BLACK MID
ASTM SD SR
page 25



643835
**FUSE MOTION 2.0 BLACK
LOW**
ASTM SD SR
page 25



642755
RIO BLACK LOW
ASTM SD SR
page 17



630125
CONDOR BROWN MID
ASTM SD SR
page 27



630065
FRONTCOURT BLK MID
ASTM EH SR
page 8



640305
ICONIC BLK/BLK MID
ASTM EH SR
page 8



640305
ICONIC BLK/BLK LOW
ASTM EH SR
page 8



640325
ICONIC BLK/GUM LOW
ASTM EH SR
page 9



640315
ICONIC STONE LOW
ASTM EH SR
page 11



630105
CONDOR BLACK MID
ASTM SD SR
page 27



630655
CONQUEST BROWN CTX HIGH
ASTM EH WP SR
page 30



630735
**CONQUEST BLACK CTX
HIGH**
ASTM EH WP SR
page 29



630745
**CONQUEST STONE CTX
HIGH**
ASTM EH WP SR
page 30



630725
**CONQUEST WHEAT CTX
HIGH**
ASTM EH WP SR
page 29



640005
ICONIC BLACK LOW
ASTM SD SR
page 8



640045
ICONIC RED LOW
ASTM EH SR
page 11



640035
ICONIC GREY LOW
ASTM SD SR
page 11



640015
ICONIC BLACK LOW
ASTM EH SR
page 11



640025
ICONIC NAVY LOW
ASTM EH SR
page 11



630785
TORNADO BROWN CTX 6"
ASTM EH WP SR
page 5



632715
IRON HD 6"
ASTM EH WP SR
page 35



632745
IRON HD BLK MID
ASTM EH WP SR
page 35



632735
GRANITE HD MT 6"
ASTM EH WP SR
page 35



632705
ROCK HD 6"
ASTM EH WP SR
page 35



644625
AIRTWIST BLUE LOW
ASTM EH SR
page 13



644655
AIRTWIST BLACK LOW
ASTM EH SR
page 13




643035
**FRONTSIDE
GREY BLUE LOW**
ASTM EH SR
page 15



643185
**FRONTSIDE
BLACK GREY LOW**
ASTM SD SR
page 15



643165
ELEVATE KNIT BLACK LOW
ASTM SD SR
page 15



SOFT TOE



630915
**CONQUEST BROWN SOFT
TOE CTX HIGH**
ASTM EH WP SR
page 32



630905
**CONQUEST BLACK SOFT
TOE CTX HIGH**
ASTM EH WP SR
page 33



630925
**TORNADO BROWN SOFT
TOE CTX 6"**
ASTM EH WP SR
page 32



647065
**SPARK BLK SOFT TOE
LOW**
ASTM EH SR
page 19



647075
**GROOVE BLK SOFT TOE
LOW**
ASTM EH SR
page 19



647015
**STELLAR BLK SOFT TOE
LOW**
ASTM EH SR
page 19



647025
**BLAST BLK SOFT TOE
LOW**
ASTM EH SR
page 19



647055
**BOUNCE BLK COMP
TOE LOW**
ASTM SD SR
page 19



647045
EPIC BLK COMP TOE LOW
ASTM EH SR
page 19



645175
TURBO NAVY/GREY
ASTM SD SR
page 21



645165
TURBO BLACK/RED LOW
ASTM SD SR
page 21



645155
SLIDE GREY LOW
ASTM EH SR
page 21



645145
SLIDE BLACK LOW
ASTM EH SR
page 21



HERITAGE.

CLASSIC GOES SAFETY.



Inspired by PUMA classics that have been popular for decades, the HERITAGE work shoe collection from PUMA Safety combines innovative technologies such as the idCELL element integrated in the sole, the slip-resistant rubber outsole with special herringbone pattern and the evercushion RELIEF footbed – for outstanding wearing comfort with reliable safety at work.

1

RUBBER SOLE HERITAGE

The 572°F heat-resistant rubber outsole has an excellently slip resistant herringbone pattern with optimum grip. The softer rubber midsole grants underfoot cushioning and shock absorption. By increasing the rotation point, friction and thus fatigue are greatly reduced. The wide frame ensures all around perfect stabilization.

2

idCELL

The large idCELL elements in the heel and forefoot area consist of a very soft, shock absorbing material. They perfectly absorb impacts and shocks e.g. when the heel strikes the ground.

3

ROTATION POINT

The special feature of the sole is the integrated rotation point. This point in the area of the inner metatarsus is the most severely strained part while walking. By reinforcing the rotation point, friction and thus fatigue is greatly reduced.

EVERCUSHION® RELIEF



Maximum performance for your work shoes. The contoured evercushion® RELIEF footbed follows the shape of the foot and ensures pressure relief. A specially coordinated arch support enables the foot to be positioned naturally in the shoe and stimulates the muscles when walking. A layer of a particularly soft and stable foam provides extra cushioning and thus superior shock absorption. Grooves on the underside of the insole ensure that the sole does not slip in the shoe. Comfort and support to get your job done.



KEY FEATURES OF ALL STYLES

Protection composite fiberglass toe cap
Lining BreathActive functional lining
Footbed evercushion®RELIEF

Outsole 572°F heat-resistant rubber outsole with excellently slip resistant herringbone pattern and idCELL elements



640205
FRONTCOURT BLK/ WHT/ RED LOW ASTM EH SR

Upper smooth leather
Sizes 7 - 12, 13, 14, 15
 PS06250WP/PU12500RP



630055
FRONTCOURT BLK/ WHT/ RED MID ASTM EH SR

Upper smooth leather
Sizes 7 - 12, 13, 14, 15
 PS06500WP/PU13000RP



640275
FRONTCOURT BLUE/BLK LOW ASTM SD SR

Upper smooth leather
Sizes 7 - 12, 13, 14, 15
 PS06250WP/PU12500RP



630075
FRONTCOURT BLUE/BLK MID ASTM SD SR

Upper smooth leather
Sizes 7 - 12, 13, 14, 15
 PS06500WP/PU13000RP





630065
FRONTCOURT BLK MID ASTM EH SR

Upper smooth leather
Sizes 7 - 12, 13, 14, 15
PS06500WP/PU13000RP



640005
ICONIC BLACK LOW ASTM SD SR

Upper smooth leather
Sizes 7 - 12, 13, 14, 15
PS06000WP/PU12000RP



630305
ICONIC BLK/BLK MID ASTM EH SR

Upper high quality suede leather
Sizes 7 - 12, 13, 14 - 15 Med/Wide
PS05750WP/PU11500RP



640305
ICONIC BLK/BLK LOW ASTM EH SR

Upper high quality suede leather
Sizes 7 - 12, 13, 14 - 15 Med/Wide
PS05500WP/PU11000RP



640325
ICONIC BLK/GUM LOW ASTM EH SR

Upper high quality suede leather
Sizes 7 - 12, 13, 14 - 15 Med/Wide
PS05500WP/PU11000RP





NEW



640315
ICONIC STONE LOW ASTM EH SR

Upper high quality suede leather
Sizes 7 - 12, 13, 14 - 15 Med/Wide

PS05500WP/PU11000RP



640025
ICONIC NAVY LOW ASTM EH SR

Upper high quality suede leather
Sizes 7 - 12, 13, 14, 15

PS05500WP/PU11000RP



640015
ICONIC BLACK LOW ASTM EH SR

Upper high quality suede leather
Sizes 7 - 12, 13, 14, 15 Med/Wide

PS05500WP/PU11000RP



640045
ICONIC RED LOW ASTM EH SR

Upper high quality suede leather
Sizes 7 - 12, 13, 14, 15

PS05500WP/PU11000RP



640035
ICONIC GREY LOW ASTM SD SR

Upper high quality suede leather
Sizes 7 - 12, 13, 14, 15 Med/Wide

PS05500WP/PU11000RP



URBAN EFFECT.

EFFORTLESS WORK.



Urban street style as a performance safety shoe. The new URBAN EFFECT styles are all about legendary classics and cult sneakers, but include the latest technologies from the fields of sports and safety footwear, such as the new sole construction with EFFECT.FOAM, which ensures optimal cushioning and energy return (70% above the standard). URBAN EFFECT gives everyday work an extra dose of dynamism and coolness.

1

RUBBER OUTSOLE

The 572°F heat-resistant rubber sole has a special sole profile that drains off liquids and thus optimizes the grip. By increasing the point of rotation, friction and thus fatigue are greatly reduced.

4

EXTERNAL TPU HEEL COUNTER

This element offers protection and helps maintain a correct ergonomic walking posture by providing additional support.

2



EFFECT.FOAM®

Tireless comfortable!

- 60% energy return
- 47% less impact on bones and joints*
- extremely powerful and light
- permanently high level of comfort for fatigue-free work

* Dynamic energy absorption reduces the impacts to 1.6kN, the average for safety shoes is 3.0kN.

3

ROTATION POINT

The special feature of the sole is the integrated rotation point. This point in the area of the inner metatarsus is the most severely strained part while walking. By reinforcing the rotation point, friction and thus fatigue is greatly reduced.



EVERCUSHION® BA+

Maximum performance for your work shoes. The contoured evercushion® BA+ footbed follows the shape of the foot and ensures a natural position, pressure relief and muscle stimulation. It is made of two layers of breathable foamed polyurethane in different densities with extra cushioning material in the critical heel and ball area for superior shock absorption. An odor-resistant, sweat-wicking and non-slippery fabric covers the whole footbed. Excellent comfort and support to get your job done.



644625
AIRTWIST BLUE LOW ASTM EH SR

644655
AIRTWIST BLACK LOW ASTM EH SR


- Protection Plus** composite-fiberglass toe cap reflecting elements, TPU heel counter for support and protection, TPU eyelet element for additional strengthening
- Upper Lining** hydrophobic microfiber
- Footbed** BreathActive functional lining
- Midsole** evercushion® BA+
- Outsole** EVA and continuously high performance EFFECT.FOAM® for excellent cushioning and up to 60% energy return
- Outsole** rubber sole, abrasion, oil & slip resistant, 572°F heat resistant with rotation point
- Sizes** 7,8 - 12, 13

PS06500WP/PU13000RP




EFFECT.FOAM®

Progressive, incomparably comfortable and durable - that's the new EFFECT.FOAM® midsole. Excellent cushioning and energy return support the muscles, guarantee a remarkable joint relief and provide constant pleasant comfort. The special thing about EFFECT.FOAM® is the consistently high level of comfort, because the high-quality material remains powerful, for fatigue-free work and constant high performance.



47% LESS JOINTS IMPACT*



* Dynamic energy absorption reduces the impacts to 1.6 kN, the average for safety shoes is 3.0 kN.



URBAN PROTECT.

INSPIRED BY RETRO DESIGN.



inspired by retro design - Due to the world cup in the sixties, the successful PUMA KING model got a high level of fame. Its design is still up-to-date, so with URBAN PROTECT we created a line that repeats this successful story. Classical design elements combined with modern fashionable cut. The fiberglass toe cap, the sole construction and the custom-fit last offer technical standards.

1

RUBBER OUTSOLE

This hard-wearing 572°F heat- and oil-resistant rubber outsole has a distinctive tread design with channels to clear fluids — for optimum slip resistance. Due to the reinforcement of the rotation point, friction and thus signs of fatigue can be significantly reduced.

2

EVA MIDSOLE

Thousands of tiny bubbles in this ultra lightweight midsole ensure an optimal cushioning and improve the flexing action of the foot.

3

idCELL

The idCELL element in the heel area consists of a very soft, shock absorbing material. It perfectly absorbs impacts and shocks when the heel strikes the ground.

4

ROTATION POINT

The special feature of the sole is the integrated rotation point. This point in the area of the inner metatarsus is the most severely strained part while walking. By reinforcing the rotation point, friction and thus fatigue is greatly reduced.

COMFORT FOOTBED

The anatomically shaped footbed provides optimal cushioning with every step. The specially designed arch support enables the foot to be naturally positioned in the shoe and stimulates the muscles when walking.



KEY FEATURES OF ALL STYLES

Protection composite-fiberglass toe cap
Lining BreathActive functional lining
Footbed evercushion® BA+

Midsole lightweight EVA midsole with idCELL
Outsole rubber sole, abrasion, oil & slip resistant, 572°F heat resistant with rotation point



643035
FRONTSIDE GREY BLUE LOW ASTM EH SR

Plus metal free, TPU protection in the toe area
Upper Sandwich-Mesh with microfibre
Sizes 7, 8-12, 13, 14

PS05750WP/PU11500RP



643185
FRONTSIDE BLACK GREY LOW ASTM SD SR

Plus metal free, TPU protection in the toe area
Upper Sandwich-Mesh with microfibre
Sizes 7, 8-12, 13, 14

PS05750WP/PU11500RP



643165
ELEVATE KNIT BLACK LOW ASTM SD SR

Plus metal free, TPU protection in the toe area
Upper SAFETY KNIT®
Sizes 7 - 13, full sizes

PS05750WP/PU11500RP



METRO PROTECT.

STYLE MEETS SAFETY.



STYLE MEETS SAFETY - Should a safety shoe always look like a safety shoe? No, the METRO PROTECT line stands for stylish yet highly protective footwear with a clear lifestyle inspiration, which perfectly fits into our modern day working environment. Contrasting colours, the directly injected PUMA formstripe or the carbon effect of the sole define these modern styles.

1

METRO SOLE

The unique full TPU outsole provides the performance features, you know from high performance soccer shoes, for the first time in safety footwear i.e. slim sole design, high durability, top grip and great flexibility. The two-coloured TPU sole comes with an idCell cushioning pad in the heel area. The drawn up scuff cap avoids abrasion of the leather in the toe area while working on your knees.

3

UPPER

We use high quality materials to combine superior comfort with best performance of the METRO PROTECT collection. It's the fusion of safety and lifestyle.

2

idCELL ELEMENT

The idCELL element in the heel area consists of a very soft, shock absorbing material. It perfectly absorbs impacts and shocks when the heel strikes the ground.



EVERCUSHION® PRO

The structure of the evercushion® pro insole provides lightweight cushioning from the beginning until the end of the movement, thus relieving the pressure zones. Its durable fabric cover and the perforated area at the forefoot ensure both breathability and comfort.



NEW SOLE

642755

RIO BLACK LOW ASTM SD SR

- Protection** aluminium toe cap
- Lining** BreathActive functional lining
- Footbed** evercushion® RELIEF^T
- Sole** TPU-sole METRO PROTECT with idCELL
- Plus** abrasion resistant toe cap protection and HeelTec support
- Upper** hydrophobic suede leather
- Sizes** 7, 8 - 11, 12, 13

PS06000WP/PU12000RP



SR COLLECTION. NEW

SUPERIOR GRIP. ULTIMATE COMFORT.



Engineered for the high-paced environments of hotels, restaurants and catering the new SR collection features the new GRIPPAZ® Traction outsole technology for exceptional slip-resistance as well as splash-resistant upper materials and enhanced cushioning elements for all-day comfort.



1 GRIPPAZ® TRACTION OUTSOLE

Step confidently with GRIPPAZ® Traction Outsole Technology*. Formulated from a specially slip-resistant rubber compound and enhanced with additional features* like liquid-channeling cleat patterns and multidirectional 360° grip designs, it delivers excellent traction every step of the way.

All shoes with GRIPPAZ® Traction are tested according to ASTM F3455-21 using the F2913-19 test method and meet and exceed a coefficient of friction of 0.40 in both wet and dry surfaces.

* additional features vary depending on the style



647065
SPARK BLK SOFT TOE LOW ASTM EH SR

Lining BreathActive functional lining
Plus metal free
Outsole GRIPPAZ® Traction outsole
Upper highly breathable Sandwich-Mesh
Sizes 7 - 12,13,14 Med/Wide PSO4750WP/PU9499RP



647075
GROOVE BLK SOFT TOE LOW ASTM EH SR

Lining BreathActive functional lining
Plus metal free
Outsole GRIPPAZ® Traction outsole
Upper durable, water-resistant Canvas
Sizes 7 - 12,13,14 Med/Wide PSO4000WP/PU7999RP



647025
BLAST BLK SOFT TOE LOW ASTM EH SR

Lining BreathActive functional lining
Plus metal free
Outsole GRIPPAZ® Traction outsole
Upper durable, water-resistant microfibre
Sizes 7 - 12,13,14 Med/Wide PSO4500WP/PU8999RP




647015
STELLAR BLK SOFT TOE LOW ASTM EH SR

Lining BreathActive functional lining
Plus metal free
Outsole GRIPPAZ® Traction outsole
Upper durable, water-resistant microfibre
Sizes 7 - 12,13,14 Med/Wide PSO4500WP/PU8999RP



647055
BOUNCE BLK COMP TOE LOW ASTM SD SR

Lining BreathActive functional lining
Plus metal free
Outsole GRIPPAZ® Traction outsole
Upper durable, water-resistant microfibre
Sizes 7 - 12,13,14 Med/Wide PSO6000WP/PU12000RP



647045
EPIC BLK COMP TOE LOW ASTM EH SR

Lining BreathActive functional lining
Plus metal free
Outsole GRIPPAZ® Traction outsole
Upper ballistic nylon
Sizes 7 - 12,13,14 Med/Wide PSO5500WP/PU11000RP



MOTION PWR.

COMING SOON



INFINITE POWER. MAXIMUM CONTROL.



The athletic MOTION PWR models combine unbeatable performance with a fantastic look. The PWR.FOAM® midsole, the latest development from top-level competitive running, ensures the fastest responses at a featherlight weight. Combined with the heat-resistant rubber outsole with its different tread zones for optimized traction, these shoes get you ready for even the stiffest challenges of your working day.

1

MOTION PWR SOLE

The MOTION PWR sole is the centerpiece of our new athletic PUMA safety footwear line. The PWR.FOAM® midsole, our latest high-quality performance foam technology, offers maximum responsiveness with a featherlight weight. The different tread zones of the up to 572°F heat resistant rubber outsole ensure optimum grip.

2



PWR.FOAM®

The latest innovation from high-performance running enhanced for the safety shoe sector. Through an additional progressive production process, our PWR.BEADS® are transformed into a super-light, permanently elastic midsole with an excellent and long-lasting energy return of up to 70% - for optimized wearing comfort during long working days.

EVERCUSHION® PRIME FOOTBED

Step into ultimate comfort with the evercushion® PRIME footbed, engineered from breathable open-cell polyurethane to keep your feet dry. It offers exceptional cushioning and shock absorption, while the memory foam molds perfectly to the contours of the foot for a personalized fit. Anatomically shaped for optimal support, the footbed features a textured section on the ball area that gently massages the foot with every step, enhancing circulation and reducing fatigue.

KEY FEATURES OF ALL STYLES

Protection Plus composite-fiberglass toe cap
Lining BreathActive functional lining
Footbed evercushion® PRIME

Sole MOTION PWR - 572°F heat resistance, slip-resistant rubber outsole with PWR.FOAM midsole for excellent cushioning, energy return and stability



645175
TURBO NAVY/GREY LOW ASTM SD SR

Upper SAFETY KNIT® with FUSETEC® elements
Sizes 7 - 12, 13, 14, 15 Med/Wide
 PSO6500WP/PU13000RP



645165
TURBO BLACK/RED LOW ASTM SD SR

Upper SAFETY KNIT® with FUSETEC® elements
Sizes 7 - 12, 13, 14, 15 Med/Wide
 PSO6500WP/PU13000RP



645155
SLIDE GREY LOW ASTM EH SR

Upper SAFETY KNIT® with FUSETEC® elements
Sizes 7 - 12, 13, 14, 15 Med/Wide
 PSO6000WP/PU12000RP



645145
SLIDE BLACK LOW ASTM EH SR

Upper SAFETY KNIT® with FUSETEC® elements
Sizes 7 - 12, 13, 14, 15 Med/Wide
 PSO6000WP/PU12000RP




IMPULSE FOAM.

REVOLUTION IN SAFETY FOOTWEAR.

ACTIVE ENERGY RETURN | UP TO 55%

IMPULSE.FOAM®
 ANTI-FATIGUE TECHNOLOGY


The innovative IMPULSE.FOAM® anti-fatigue sole technology reacts to each of your steps with an energy impulse. Thereby the IMPULSE.FOAM® does not only return the energy, but also provides maximum cushioning, excellent stability and long-lasting comfort. For fatigue-free work and constant high performance.




- ① FIRST IMPULSE.FOAM® LAYER
- ② SECOND IMPULSE.FOAM® LAYER
- ③ SLIP RESISTANT RUBBER OUTSOLE

ACTIVE ENERGY RETURN | UP TO 55%

ENERGY RETURN



ENERGY ABSORPTION



55%

ENERGY RETURN

Return of 55% of landing energy.



CONSTANT SUPPORT

All-day comfort and stability.



ENERGY ABSORPTION

70% higher energy absorption than the norm EN ISO 20345.



DYNAMIC FLEX

Grooved outsole pattern flexes with every step.

MOTION PROTECT.

NEXT LEVEL OF CUSHIONING.



INNOVATIVE IN EVERY DETAIL - The new definition of the sport-inspired performance safety shoe line MOTION PROTECT is the perfect symbiosis of cushioning, energy return and design. A new feature is the sole construction with the innovative IMPULSE.FOAM® midsole with anti-fatigue technology for work without tiredness. Due to this new material, the wearer feels during walking the highly comfortable shock-absorption with simultaneous dynamic energy return and stability.

1
RUBBER OUTSOLE MOTION
 The 572°F heat resistant HRO rubber sole is inspired by the latest running technology. The anti-slip sole profile with its diagonal grooves ensures perfect flexibility and secure contact to the ground (SRC). A nylon shank is integrated in the sole concept.

2
FLEX GROOVES
 The diagonal grooves in the sole profile provide a better flexibility and a smoother feel on the ground. Furthermore, they will give you a better grip while walking.

3
TORSION CONTROL ELEMENT
 The TPU torsion control element in the middle of the sole supports the natural flexing action of the foot while walking and provides a better support and stability for the feet.

4
IMPULSE.FOAM MIDSOLE
 The innovative IMPULSE.FOAM® midsole in two different densities reacts to each of your steps with an energy impulse. Thereby the IMPULSE.FOAM® does not only return up to 55% of the energy, but also provides maximum cushioning, excellent stability and long-lasting comfort.

EVERCUSHION® BA
 This anatomically designed footbed provides a high level of comfort and moisture control, giving a pleasant foot climate. This footbed, as used in high performance sports shoes, is made from a soft, open-cell, resilient foam that will not compress in wear, which ensures a high level of cushioning, breathability and moisture regulation.



KEY FEATURES OF ALL STYLES

Protection composite-fiberglass toe cap
Lining BreathActive functional lining
Footbed evercushion® BA
Shank TPU torsion control element

Midsole IMPULSE.FOAM® midsole in two different densities for maximum cushioning, stability and comfort
Outsole rubber outsole, abrasion, oil & slip resistant, 572°F heat resistant



643835
FUSE MOTION 2.0 BLACK LOW ASTM SD SR
Plus metal free, abrasion resistant toe overlay, heel support, quick lacing system, extra pair of laces in the box
Upper Sandwich-Mesh with FUSE.TEC® elements
Sizes 7, 8 - 12, 13, 14
 PS06000WP/PU12000RP



643845
VELOCITY 2.0 BLACK LOW ASTM SD SR
Plus metal free, abrasion resistant toe overlay, heel support
Upper high quality smooth leather with TPU side support
Sizes 7, 8 - 12, 13, 14
 PS07000WP/PU14000RP



633805
VELOCITY 2.0 BLACK MID ASTM SD SR
Plus metal free, abrasion resistant toe overlay, heel support
Upper high quality smooth leather with TPU side support
Sizes 7, 8 - 12, 13, 14
 PS07500WP/PU15000RP



REBOUND.

NEW



SAFETY WITH A TRAMPOLINE EFFECT.



In order to reduce physical stress to the largest extent, the REBOUND line offers a optimized cushioning capacity and comfort. The heart of the REBOUND styles is the comfortable cushioning concept consisting of the fast reacting EFFECT.FOAM® midsole in combination with the evercushion® pro ESD footbed and the robust outsole.

1

REBOUND SOLE

The PU cushioning concept consisting of the EFFECT.FOAM® midsole, combined with the compact PU outsole and the evercushion pro® ESD footbed offers even more comfort and cushioning for a fatigue-free work experience. The side wall fins of the outsole work in harmony with the EFFECT.FOAM® to bring additional cushioning on the edges.

2

COMPACT PU OUTSOLE

The striking tread profile incorporates zoned areas to offer maximum support and grip on uneven but also flat slippery surfaces. The outer wide cleats also seek out traction on loose terrain and bring a self cleaning function. In addition, the special high density material supports durability and prolonged life of the shoes, whilst also being resistant to fuel oils to prevent adverse affects in the end environment.

3



EFFECT.FOAM®

Tirelessly comfortable!

- 60% energy return
- 47% less impact on bones and joints*
- extremely light and effective
- permanently high comfort level for fatigue-free work

* Dynamic energy absorption reduces the impacts to 1.6KN, the average for safety shoes is 3.0KN.

EVERCUSHION® RELIEF FOOTBED

Maximum performance for your work shoes. The evercushion® RELIEF footbed consists of two different layers that fit together precisely. The upper layer is made from memory foam and adapts perfectly to the shape of the foot, offering cushioning just where it's most needed. The bottom layer is made of evercushion® foam and provides optimum pressure relief and durable cushioning. A specially adapted arch support keeps the foot in a natural position inside the shoe and stimulates the muscles while walking. The wavy grooves on the bottom stop the footbed from sliding inside the shoe. This is the comfort and support you need to get your job done.

KEY FEATURES OF ALL STYLES

Protection steel toe cap
Lining BreathActive functional lining
Footbed evercushion® RELIEF

Sole REBOUND - Compact PU outsole with midsole of continuously high performance EFFECT.FOAM® for excellent cushioning and energy return



630125
CONDOR BROWN MID ASTM SD SR

Upper oiled nubuck leather
Sizes 7, 8 - 11, 12, 13

PSO6000WP/PU12000RP



630105
CONDOR BLACK MID ASTM SD SR

Upper nubuck leather
Sizes 7, 8 - 11, 12, 13

PSO6000WP/PU12000RP



SCUFF CAPS EVO.

OFFROAD AT HOME.



OFFROAD AT HOME - SCUFF CAPS EVO is defined by its outdoor features and off-road design. The models are based on sophisticated know-how combined with a high degree of comfort. Real performance solutions and reliable safety help you to combat everyday working risks.

1

RUBBER OUTSOLE

It is obvious that the heavy duty pattern of this hard-wearing, up to 572°F heat resistant HRO rubber outsole has been designed for optimum safety and performance, even on unsecured grounds. A stabilizing shank is integrated in the midsole.

2

PU MIDSOLE

The direct attached lightweight PU midsole gives underfoot cushioning, shock absorption and insulation from uneven ground.

3

SCUFF CAP

Over-the-toe extra high scuff cap for wearers who kneel a lot in their job.



EVERCUSHION® BA+

Maximum performance for your work shoes. The contoured evercushion® BA+ footbed follows the shape of the foot and ensures a natural position, pressure relief and muscle stimulation. It is made of two layers of breathable foamed polyurethane in different densities with extra cushioning material in the critical heel and ball area for superior shock absorption. An odor-resistant, sweat-wicking and non-slippery fabric covers the whole footbed. Excellent comfort and support to get your job done.



CTX® WATERPROOF MEMBRANE

We use an extremely durable water resistant and breathable high-tech CTX® membrane. Its microporous fabric structure protects feet from stagnant moisture. *except for TANAMI styles.

ZIPPER

The YKK zipper is used on the 7" side zip styles and enables an easy putting on and taking off. The closed dust flap behind the zipper stops the penetration of dirt and moisture and prevents from unpleasant pressure points.

KEY FEATURES OF ALL STYLES

Protection Footbed composite-fiberglass toe cap
evercushion® BA+

Midsole Outsole PU midsole, for cushioning and shock absorption
rubber outsole, 572°F heat resistant, slip and oil resistant



630725
CONQUEST WHEAT CTX HIGH ASTM EH WP SR

Plus electrical hazard, lateral YKK-zipper with gusset, TPU Heel Support and Kick-Off in the heel area
Upper Lining water repellent oiled nubuck leather
BreathActive functional lining with waterproof and breathable CTX® membrane
Sizes 7 - 12, 13, 14

PS08500WP/PU17000RP



630735
CONQUEST BLACK CTX HIGH ASTM EH WP SR

Plus electrical hazard, lateral YKK-zipper with gusset, TPU Heel Support and Kick-Off in the heel area
Upper Lining high quality smooth leather
BreathActive functional lining with waterproof and breathable CTX® membrane
Sizes 8 - 12, 13, 14

PS08500WP/PU17000RP





630745
CONQUEST STONE CTX HIGH ASTM EH WP SR

Plus electrical hazard, lateral YKK-zipper with gusset, TPU Heel Support and Kick-Off in the heel area
Upper water repellent oiled nubuck leather
Lining BreathActive functional lining with waterproof and breathable CTX® membrane
Sizes 8 - 12, 13, 14

PS08500WP/PU17000RP



630655
CONQUEST BROWN CTX HIGH ASTM EH WP SR

Plus electrical hazard, lateral YKK-zipper with gusset, TPU Heel Support and Kick-Off in the heel area
Upper soft oiled tumbled full leather
Lining BreathActive functional lining with waterproof and breathable CTX® membrane
Sizes 8 - 12, 13, 14

PS08500WP/PU17000RP



630785
TORNADO BROWN CTX 6" ASTM EH WP SR

Plus electrical hazard, closed dust tongue, TPU Heel Support and Kick-Off in the heel area
Upper soft oiled tumbled full leather
Lining BreathActive functional lining with waterproof and breathable CTX® membrane
Sizes 8 - 12, 13, 14

PS07500WP/PS15000RP



SCUFF CAPS EVO SOFT TOE.

OFFROAD AT HOME.



KEY FEATURES OF ALL STYLES

**Footbed
Midsole** evercushion® BA+
PU midsole, for cushioning and
shock absorption

Outsole rubber outsole, 572°F heat resistant,
slip and oil resistant



COA.TEX®
MEMBRANES




630915
CONQUEST BROWN SOFT TOE CTX HIGH ASTM EH WP SR

Plus electrical hazard, functional lining with waterproof
and breathable CTX® membrane, lateral YKK-zipper with
gusset, TPU Heel Support and Kick-Off in the heel area

**Upper
Lining** soft oiled tumbled full leather
BreathActive functional lining

**Footbed
Sizes** evercushion® BA+
7 - 12, 13, 14

PS08000WP/PU16000RP



COA.TEX®
MEMBRANES

630925
TORNADO BROWN SOFT TOE CTX 6" ASTM EH WP SR

Plus electrical hazard, functional lining with waterproof
and breathable CTX® membrane, closed dust tongue,
TPU Heel Support and Kick-Off in the heel area


**Upper
Lining** soft oiled tumbled full leather
BreathActive functional lining

**Footbed
Sizes** evercushion® BA+
7 - 12, 13, 14

PS07000WP/PS14000RP



COA.TEX®
MEMBRANES



630905
CONQUEST BLACK SOFT TOE CTX HIGH ASTM EH WP SR

Plus electrical hazard, functional lining with waterproof
and breathable CTX® membrane, lateral YKK-zipper with
gusset, TPU Heel Support and Kick-Off in the heel area

**Upper
Lining** high quality smooth leather
BreathActive functional lining

**Footbed
Sizes** evercushion® BA+
7 - 12, 13, 14

PS08000WP/PU16000RP



HEAVY DUTY.

WHERE ROUGH MEETS TOUGH.



WHERE ROUGH MEETS TOUGH - Experience the perfect balance between toughness, style, comfort and uncompromising safety. The HEAVY DUTY line combines seamlessly blending rugged durability with stylish design and unmatched protection to withstand the roughest working conditions. Engineered with latest technology and innovative materials allowing you to focus on what truly matters - your work and your passion.

1

HEAVY DUTY SOLE

The outdoor sole is meticulously designed to meet the highest safety standards while providing the utmost comfort. Trust in its exceptional slip-resistant octopus tread pattern, TPU outsole with ladder grip, PU midsole and cushioning IQ.CELL technology - to enhance your performance and keep you safe during your job.



CTX® WATERPROOF MEMBRANE

We use an extremely durable water resistant and breathable high-tech CTX® membrane. Its microporous fabric structure protects feet from stagnant moisture.

2

PU MIDSOLE

The direct attached lightweight PU midsole gives underfoot cushioning, shock absorption and insulation from uneven ground.



EVERCUSHION® MAX

Maximum comfort and a perfect fit thanks to the cushioning, breathable and moisture-regulating evercushion® MAX footbed. The textile surface is not only non-slip, but also has an antibacterial HYPRO ODOR CONTROL treatment that reliably combats unpleasant odours. The foot receives perfect support from the longitudinal arch support. Pressure points are reduced and stress on feet, ankles and knees is minimized. This is the support you need for your best performance at work.



3

SCUFF CAP

Over-the-toe extra high scuff cap for wearers who kneel a lot in their job.

KEY FEATURES OF ALL STYLES

Protection Plus composite-fiberglass toe cap
abrasion resistant toe cap protection and HeelTec support

Lining BreathActive functional lining with waterproof CTX® membrane

Footbed evercushion® MAX

Shank Midsole extra high Scuff Cap
PU midsole, for cushioning and shock absorption, iQ.CELL integrated in the heel area,

Outsole HEAVY DUTY - oil resistant, TPU outsole with slip resistant octopus pattern for enhanced grip (self-cleaning) and ladder grip



NEW

632745
IRON HD BLK MID 6" ASTM EH WP SR

632715
IRON HD BRN MID 6" ASTM EH WP SR

Upper premium oiled full grain leather
Sizes 7, 8-12, 13, 14
PS08500WP/PU17000RP




632735
GRANITE HD MET-GUARD 6" ASTM EH WP SR

Upper Plus premium tumbled leather
Sizes 7, 8-12, 13, 14
PS09500WP/PU19000RP



632705
ROCK HD 6" ASTM EH WP SR

Upper robust and breathable ballistic nylon with microfibre
Sizes 7, 8-12, 13, 14
PS07500WP/PU15000RP



PUMA SAFETY USA is distributed by Protective Industrial Products | Valid from January 2025



WORKBOOK.

WOMEN'S SAFETY SHOES.





ELECTRICAL HAZARD

Shoes with this icon are specially designed for protecting from open electrical circuits up to 18.000 volts under dry conditions. They meet or exceed ASTM F2413-18 and ASTM F2412-18a*.



STATIC DISSIPATIVE

These shoes reduce the accumulation of static electricity by conducting the body charge to the properly grounded flooring system. They meet SD Static Dissipative ASTM F2413-18 and ASTM F2412-18a requirements.



SLIP RESISTANT

The outsole is slip resistant, which means that the wearer will not skid when he walks.



HRO SOLE

At least for a short contact these outsoles are heat resistant up to 572°F. That 's pretty hot.



BREATHABLE

Breathable materials protect against overheating by balancing the foot temperature during work. Your feet will feel fresh and less tired.



WATERPROOF

It will keep your feet dry but without this rubber boot feeling due to the clever moisture management that lets water out but not in.



WATER RESISTANT

These styles are constructed for keeping the foot dry from outside while it is breathactive from inside. So they are well dry during the work.



METAL FREE

Sometimes you need a shoe without any metallic parts, thus allowing you to pass through metal detectors.



COMFORTABLE FIT

Extra comfort due to more freedom of toes.



BIG SIZES

For all working big feet: these models are available up to size 14.



MULTIPLE WIDTHS

For shoes that have multiple width options.



LIGHTWEIGHT

Special materials and their processing make the shoe particularly lightweight. The result is an even higher wearing comfort.



IQ.CELL

The gel pad built into the heel area was developed to provide essential shock absorption plus energy return.

SAFETY TOE MODELS: ASTM F2413-18 and ASTM F2412-18a

All PUMA SAFETY safety shoes meet or exceed the highest ASTM standards for toe impact I/75 and compression C/75 protection.

SOFT TOE MODELS: ASTM F2892-18, ASTM F3455-21, ASTM 2413-24, ASTM F2892-24

ASTM F2913-19 and F3445-21

All PUMA SAFETY shoes meet ASTM F2913-19 non-slip testing standards and ASTM F3445-21.

Our general terms and conditions are applicable and can be downloaded at www.puma-safety.com/US.

* for SOFT TOE ASTM 2892-18 EH

PUMA SAFETY & THE ENVIRONMENT

All PUMA SAFETY products are developed and manufactured by ISM, a company based in Germany since 1930. ISM, now part of the PIP® global family, is a leading European provider in the safety and protective gear business.

As a PUMA SE license partner since 2002, ISM's production sites are regularly audited under the principles of PUMA S.A.F.E. to ensure that fair working conditions are kept in all factories.

ISM acknowledges its responsibility not only towards its customers and business partners but also towards the environment.

Therefore ISM follows the principle of sustainable development. We are proud to say that all our products are PVC free. ISM is aware that continuous improvements are required to live up to our environmental accountability and is working hard to reduce its CO² footprint.


PUMA S.A.F.E.

Under the banner of PUMA S.A.F.E. (Social Accountability and Fundamental Environmental Standards), PUMA is encompassing issues of human rights, product safety and ecological concerns and combining them with new initiatives that will drive the company to cleaner, greener, safer and more sustainable systems and practices. In addition, transparent and constructive dialogues with stakeholders, supply partners, and non-governmental organizations (NGOs) such as the Fair Labor Association have ensured that the PUMA Code of Ethics and Code of Conduct are observed and audited in workplaces worldwide.



CONTENTS

COLLECTION OVERVIEW	Page 42
HERITAGE	Page 44
URBAN PROTECT	Page 48
MISS SAFETY MOTION PROTECT 1.0	Page 50
NEW SR COLLECTION	Page 52
SCUFF CAPS EVO	Page 54



WOMEN



640215
**FRONTCOURT BLK/ WHT/
RED WNS LOW**
ASTM EH SR
page 45



630085
**FRONTCOURT BLK WNS
MID**
ASTM EH SR
page 45



640105
ICONIC BLACK WNS LOW
ASTM SD SR
page 45



630315
ICONIC BLK/BLK WNS MID
ASTM EH SR
page 45



640345
ICONIC BLK/BLK WNS LOW
ASTM EH SR
page 46



640365
ICONIC BLK/GUM WNS LOW
ASTM EH SR
page 46



640355
ICONIC STONE WNS LOW
ASTM EH SR
page 46



640115
ICONIC BLACK WNS LOW
ASTM EH SR
page 46



640125
ICONIC GREY WNS LOW
ASTM SD SR
page 47



640135
ICONIC RED WNS LOW
ASTM EH SR
page 47



640145
ICONIC PINK WNS LOW
ASTM EH SR
page 47



642855
**VELOCITY BLACK
WNS LOW**
ASTM SD SR
page 51



642925
**CELERITY KNIT BLACK
WNS LOW**
ASTM SD SR
page 51



642915
**CELERITY KNIT PINK
WNS LOW**
ASTM SD SR
page 51



643195
**FRONTSIDE BLACK GREY
WNS LOW**
ASTM SD SR
page 49



643125
**FRONTSIDE BLACK PINK
WNS LOW**
ASTM EH SR
page 49



643085
**FRONTSIDE GREY PINK
WNS LOW**
ASTM EH SR
page 49



647165
**SPARK BLK WNS
SOFT TOE LOW**
ASTM EH SR
page 53



647175
**GROOVE BLK WNS
SOFT TOE LOW**
ASTM EH SR
page 53



647115
**STELLAR BLK WNS
SOFT TOE LOW**
ASTM EH SR
page 53



647125
**BLAST BLK WNS
SOFT TOE LOW**
ASTM EH SR
page 53



647155
**BOUNCE BLK WNS COMP
TOE LOW**
ASTM SD SR
page 53



647145
**EPIC BLK WNS COMP
TOE LOW**
ASTM EH SR
page 53



630675
**CONQUEST BLACK WNS
CTX HIGH**
ASTM EH WP SR
page 55



630565
**CONQUEST WHEAT WNS
CTX HIGH**
ASTM EH WP SR
page 55



630685
**TORNADO BROWN WNS
CTX 6"**
ASTM EH WP SR
page 55



HERITAGE.

CLASSIC GOES SAFETY.



Inspired by PUMA classics that have been popular for decades, the HERITAGE work shoe collection from PUMA Safety combines innovative technologies such as the idCELL element integrated in the sole, the slip-resistant rubber outsole with special herringbone pattern and the evercushion RELIEF footbed – for outstanding wearing comfort with reliable safety at work.

1

RUBBER SOLE HERITAGE

The 572°F heat-resistant rubber outsole has an excellently slip resistant herringbone pattern with optimum grip. The softer rubber midsole grants underfoot cushioning and shock absorption. By increasing the rotation point, friction and thus fatigue are greatly reduced. The wide frame ensures all around perfect stabilization.

2

idCELL

The large idCELL elements in the heel and forefoot area consist of a very soft, shock absorbing material. They perfectly absorb impacts and shocks e.g. when the heel strikes the ground.

3

ROTATION POINT

The special feature of the sole is the integrated rotation point. This point in the area of the inner metatarsus is the most severely strained part while walking. By reinforcing the rotation point, friction and thus fatigue is greatly reduced.

EVERCUSHION® RELIEF

Maximum performance for your work shoes. The contoured evercushion® RELIEF footbed follows the shape of the foot and ensures pressure relief. A specially coordinated arch support enables the foot to be positioned naturally in the shoe and stimulates the muscles when walking. A layer of a particularly soft and stable foam provides extra cushioning and thus superior shock absorption. Grooves on the underside of the insole ensure that the sole does not slip in the shoe. Comfort and support to get your job done.



KEY FEATURES OF ALL STYLES

Protection composite fiberglass toe cap
Lining BreathActive functional lining
Footbed evercushion®RELIEF

Outsole 572°F heat-resistant rubber outsole with excellently slip resistant herringbone pattern and idCELL elements



640215
FRONTCOURT BLK/ WHT/ RED WNS LOW ASTM EH SR

Upper smooth leather
Sizes 5 - 10, 11

PS06250WP/PU12500RP



640105
ICONIC BLACK WNS LOW ASTM SD SR

Upper smooth leather
Sizes 5 - 10, 11

PS06000WP/PU12000RP



630085
FRONTCOURT BLK WNS MID ASTM EH SR

Upper smooth leather
Sizes 5 - 10, 11

PS06500WP/PU13000RP



630315
ICONIC BLK/BLK WNS MID ASTM EH SR

Upper high quality suede leather
Sizes 5 - 10, 11

PS05750WP/PU11500RP





NEW

640345
ICONIC BLK/BLK WNS LOW ASTM EH SR
Upper high quality suede leather
Sizes 5 - 10, 11 Med/Wide
PS05500WP/PU11000RP



NEW

640365
ICONIC BLK/GUM WNS LOW ASTM EH SR
Upper high quality suede leather
Sizes 5 - 10, 11 Med/Wide
PS05500WP/PU11000RP



640125
ICONIC GREY WNS LOW ASTM SD SR
Upper high quality suede leather
Sizes 5 - 10, 11
PS05500WP/PU11000RP



NEW

640355
ICONIC STONE WNS LOW ASTM EH SR
Upper high quality suede leather
Sizes 5 - 10, 11
PS05500WP/PU11000RP



640145
ICONIC PINK WNS LOW ASTM EH SR
Upper high quality suede leather
Sizes 5 - 10, 11
PS05500WP/PU11000RP



640115
ICONIC BLACK WNS LOW ASTM EH SR
Upper high quality suede leather
Sizes 5 - 10, 11 Med/Wide
PS05500WP/PU11000RP



640135
ICONIC RED WNS LOW ASTM EH SR
Upper high quality suede leather
Sizes 5 - 10, 11
PS05500WP/PU11000RP



URBAN PROTECT.

INSPIRED BY RETRO DESIGN.



INSPIRED BY RETRO DESIGN - Due to the world cup in the sixties, the successful PUMA KING model got a high level of fame. Its design is still up-to-date, so with URBAN PROTECT we created a line that repeats this successful story. Classical design elements combined with modern fashionable cut. The fiberglass toe cap, the sole construction and the custom-fit last offer technical standards.

1

RUBBER OUTSOLE

This hard-wearing 572°F heat- and oil-resistant rubber outsole has a distinctive tread design with channels to clear fluids — for optimum slip resistance. Due to the reinforcement of the rotation point, friction and thus signs of fatigue can be significantly reduced.

4

ROTATION POINT

The special feature of the sole is the integrated rotation point. This point in the area of the inner metatarsus is the most severely strained part while walking. By reinforcing the rotation point, friction and thus fatigue is greatly reduced.

2

EVA MIDSOLE

Thousands of tiny bubbles in this ultra lightweight midsole ensure an optimal cushioning and improve the flexing action of the foot.

3

idCELL

The idCELL element in the heel area consists of a very soft, shock absorbing material. It perfectly absorbs impacts and shocks when the heel strikes the ground.

COMFORT FOOTBED

The anatomically shaped footbed provides optimal cushioning with every step. The specially designed arch support enables the foot to be naturally positioned in the shoe and stimulates the muscles when walking.



KEY FEATURES OF ALL STYLES

Protection composite-fiberglass toe cap
Lining BreathActive functional lining
Footbed evercushion® BA+

Midsole lightweight EVA midsole with idCELL
Outsole rubber sole, abrasion, oil & slip resistant, 572°F heat resistant with rotation point



643085
FRONTSIDE GREY PINK WNS LOW ASTM EH SR

Plus metal free, TPU protection in the toe area
Upper Sandwich-Mesh with microfibre
Sizes 5, 6-10, 11

PS05750WP/PU11500RP



643125
FRONTSIDE BLACK PINK WNS LOW ASTM EH SR

Plus metal free, TPU protection in the toe area
Upper Sandwich-Mesh with microfibre
Sizes 5, 6-10, 11

PS05750WP/PU11500RP



643195
FRONTSIDE BLACK GREY WNS LOW ASTM SD SR

Plus metal free, TPU protection in the toe area
Upper Sandwich-Mesh with microfibre
Sizes 5, 6-10, 11

PS05750WP/PU11500RP



MISS SAFETY.

MOTION PROTECT 1.0.



WHAT WOMEN WANT - Comfortable safety shoes that do not look like those. The styles of PUMA SAFETY made especially for women fulfill this need while satisfying our high demands in terms of safety and comfort.

1

RUBBER OUTSOLE

This 572°F heat, oil and slip resistant rubber sole, with TPU protection in the heel area, is inspired by the latest running technology. The sole profile with its diagonal grooves ensures a perfect flexibility and a secure contact to the ground (SRC). (ASTM F 1677 Mark II)

4



IQ.CELL

The gel pad directly embedded in the heel area works just like a trampoline – it absorbs shock energy and returns it immediately as bounce.

2

TORSION CONTROL ELEMENT

The TPU torsion control element in the middle of the sole supports the natural flexing action of the foot while walking and provides a better support and stability for the feet.



SAFETY KNIT®

STEP IN COMFORT - The highly flexible fabric adapts perfectly to the foot and fits like a sock. The SAFETY KNIT® upper, a mixture of high quality synthetic fibres, offers high flexibility, resistance and breathability.

3

EVA MIDSOLE

Thousands of tiny bubbles in this ultra lightweight midsole ensure an optimal cushioning and improve the flexing action of the foot.



EVERCUSHION® MISS

This anatomically designed lightweight footbed with waffle structure will keep your feet cool and dry by transmitting moisture away from the foot. The open cells allow a rapid drying when the shoes have been taken off.



KEY FEATURES OF ALL STYLES

Protection steel toe cap
Lining BreathActive functional lining
Footbed evercushion® MISS
Shank TPU torsion control element

Midsole lightweight EVA midsole, cushioning IQ.Cell integrated in the heel area
Outsole rubber outsole, abrasion, oil & slip resistant, 572°F heat resistant



642915
CELERITY KNIT PINK WNS LOW ASTM SD SR

Plus TPU protection in the toe and heel area
Upper SAFETY KNIT®
Sizes 5, 6 - 10

PS05500WP/PU11000RP



642925
CELERITY KNIT BLACK WNS LOW ASTM SD SR

Plus TPU protection in the toe and heel area, metal free
Upper SAFETY KNIT®
Sizes 5, 6 - 10

PS05500WP/PU11000RP



642855
VELOCITY WNS LOW ASTM SD SR

Plus water resistant
Upper smooth tumbled full leather
Sizes 5, 6 - 10

PS06000WP/PU12000RP



SR COLLECTION. NEW

SUPERIOR GRIP. ULTIMATE COMFORT.



Engineered for the high-paced environments of hotels, restaurants and catering the new SR collection features the new GRIPPAZ® Traction outsole technology for exceptional slip-resistance as well as splash-resistant upper materials and enhanced cushioning elements for all-day comfort.



1 GRIPPAZ® TRACTION OUTSOLE

Step confidently with GRIPPAZ® Traction Outsole Technology*. Formulated from a specially slip-resistant rubber compound and enhanced with additional features* like liquid-channeling cleat patterns and multidirectional 360° grip designs, it delivers excellent traction every step of the way.

All shoes with GRIPPAZ® Traction are tested according to ASTM F3455-21 using the F2913-19 test method and meet and exceed a coefficient of friction of 0.40 in both wet and dry surfaces.

*additional features vary depending on the style



647165
SPARK BLK WNS SOFT TOE LOW ASTM EH SR

Lining BreathActive functional lining
Plus metal free
Outsole GRIPPAZ® Traction outsole
Upper highly breathable Sandwich-Mesh
Sizes 5 - 10,11 Med/Wide PSO4750WP/PU9499RP



647175
GROOVE BLK WNS SOFT TOE LOW ASTM EH SR

Lining BreathActive functional lining
Plus metal free
Outsole GRIPPAZ® Traction outsole
Upper durable, water-resistant Canvas
Sizes 5 - 10,11 Med/Wide PSO4000WP/PU7999RP



647125
BLAST BLK WNS SOFT TOE LOW ASTM EH SR

Lining BreathActive functional lining
Plus metal free
Outsole GRIPPAZ® Traction outsole
Upper durable, water-resistant microfibre
Sizes 5 - 10,11 Med/Wide PSO4500WP/PU8999RP



647115
STELLAR BLK WNS SOFT TOE LOW ASTM EH SR

Lining BreathActive functional lining
Plus metal free
Outsole GRIPPAZ® Traction outsole
Upper durable, water-resistant microfibre
Sizes 5 - 10,11 Med/Wide PSO4500WP/PU8999RP



647155
BOUNCE BLK WNS COMP TOE LOW ASTM SD SR

Lining BreathActive functional lining
Plus metal free
Outsole GRIPPAZ® Traction outsole
Upper durable, water-resistant microfibre
Sizes 5 - 10,11 Med/Wide PSO6000WP/PU12000RP



647145
EPIC BLK WNS COMP TOE LOW ASTM EH SR

Lining BreathActive functional lining
Plus metal free
Outsole GRIPPAZ® Traction outsole
Upper ballistic nylon
Sizes 5 - 10,11 Med/Wide PSO5500WP/PU11000RP



SCUFF CAPS EVO.

OFFROAD AT HOME.



OFFROAD AT HOME - SCUFF CAPS EVO is defined by its outdoor features and off-road design. The models are based on sophisticated know-how combined with a high degree of comfort. Real performance solutions and reliable safety help you to combat everyday working risks.

1

RUBBER OUTSOLE

It is obvious that the heavy duty pattern of this hard-wearing, up to 572°F heat resistant HRO rubber outsole has been designed for optimum safety and performance, even on unsecured grounds. A stabilizing shank is integrated in the midsole.



CTX® WATERPROOF MEMBRANE

We use an extremely durable water resistant and breathable high-tech CTX® membrane. Its microporous fabric structure protects feet from stagnant moisture. *except for TANAMI styles.

2

PU MIDSOLE

The direct attached lightweight PU midsole gives underfoot cushioning, shock absorption and insulation from uneven ground.

ZIPPER

The YKK zipper is used on the 7" side zip styles and enables an easy putting on and taking off. The closed dust flap behind the zipper stops the penetration of dirt and moisture and prevents from unpleasant pressure points.

3

SCUFF CAP

Over-the-toe extra high scuff cap for wearers who kneel a lot in their job.

EVERCUSHION® BA+

Maximum performance for your work shoes. The contoured evercushion® BA+ footbed follows the shape of the foot and ensures a natural position, pressure relief and muscle stimulation. It is made of two layers of breathable foamed polyurethane in different densities with extra cushioning material in the critical heel and ball area for superior shock absorption. An odor-resistant, sweat-wicking and non-slippery fabric covers the whole footbed. Excellent comfort and support to get your job done.



KEY FEATURES OF ALL STYLES

Protection Footbed composite-fiberglass toe cap
evercushion® BA+

Midsole PU midsole, for cushioning and shock absorption
Outsole rubber outsole, 572°F heat resistant, slip and oil resistant



630565

CONQUEST WHEAT WNS CTX HIGH ASTM EH WP SR

Plus electrical hazard, lateral YKK-zipper with gusset, TPU Heel Support and Kick-Off in the heel area
Upper water repellent oiled nubuck leather
Lining BreathActive functional lining with waterproof and breathable CTX® membrane
Sizes 5 - 10, 11

PS08500WP/PU17000RP



630675

CONQUEST BLACK WNS CTX HIGH ASTM EH WP SR

Plus electrical hazard, lateral YKK-zipper with gusset, TPU Heel Support and Kick-Off in the heel area
Upper high quality smooth leather
Lining BreathActive functional lining with waterproof and breathable CTX® membrane
Sizes 5 - 10, 11

PS08500WP/PU17000RP



630685

TORNADO BROWN WNS CTX 6" ASTM EH WP SR

Plus electrical hazard, closed dust tongue, TPU Heel Support and Kick-Off in the heel area
Upper soft oiled tumbled full leather
Lining BreathActive functional lining with waterproof and breathable CTX® membrane
Sizes 5 - 10, 11

PS07500WP/PS15000RP





